

A photograph of three brown horses running across a green field. The horses are captured in motion, with their manes and tails flowing. The background is dark and blurred, suggesting a night or low-light setting. The overall mood is dynamic and energetic.

HAU

KNOW HAU IT WORKS

INDOOR STALLS & PARTITION WALLS

Made in Germany

CONTENTS

03	Know Hau!
04	Indoor stalls Derby/ Equipe/ Partner
16	Partition walls

CRAFTSMANSHIP AND EXPERTISE IN DESIGNING HORSE STABLES

We attend to your challenges and find the perfect concept to keep your horses. Elegant and safe stalls are just as important to us as innovative approaches, such as our HAU 2- Point Safety Lock. Our Know Hau lies in the detail!

HAU. IT WORKS!

We manufacture our stalls in widths and depths that fit your stable



HAU 2- POINT SAFETY LOCK

The convenient one-hand operation locks two latching bolts at the same time. Thus, the door also locks at the bottom.



STAINLESS STEEL CLAPS HANDLE

Our handle ensures convenient operation of the stall doors both from the stall and the aisle.



HINGES

All our swing doors come with particularly compact, adjustable hinges.



HORIZONTAL TUBING IN PARTITION WALLS

To avoid injuries, our partition wall grates are designed with an additional horizontal tube at the top.

DOUBLE-WALLED U-SHAPED SECTIONS

For even greater safety, we manufacture all our partition walls with double-walled U-shaped sections.



INDOOR STALLS

Each stable is different and has individual requirements concerning interior design. For that reason, we offer 3 different indoor stall series with ample design options: whether sliding doors or swing doors, standard or special measurements - safety is always first. We manufacture subject to the requirements of FN (Fédération Équestre Nationale, Deutsche Reiterliche Vereinigung e.V.) and the guidelines of BMEL (German Ministry for Food and Agriculture) with bars (dia. 27 mm) at a safety spacing of 50 mm.

Hot-dip galvanising is done in accordance with DIN EN ISO 1461. Naturally, the stall fronts may also be powder-coated or manufactured in stainless steel. In addition, we offer a broad selection of wood types and numerous fittings, such as feeding technology.

DERBY

The functional classic with sliding doors.

Whether in straight standard design or with arches - we always use our proven sliding door technology.

The space-saving sliding door travels on two large and smoothly running rollers on a hot-dip galvanised C-rail. Our Derby doors come in widths of up to 161 cm and heights of more than 251 cm below the C-rail!



EQUIPE

The versatile swing door series.

Whether closed, with complex curves or reduced grating - the heart of all our Equipe-swing doors is a proprietary development: our HAU 2-point safety lock.

The convenient one-hand operation locks the door above and below at the same time and thus warrants for perfect safety. Thus, a separately operated night-time latch is no longer necessary. Due to a stainless steel claps handle, the stall door may be operated both from the aisle and the stall. Moreover, our swing doors come with particularly compact, adjustable hinges.



PARTNER

The medium-height solution.

Due to its open design, this model allows for ample contact between man and horse as well as between the horses.

The stalls are available with swing or sliding doors. Obviously, they all come with the technical features of the Equipe or Derby-series.






Project examples
with indoor stalls
from the Derby-
series

All models of the Derby-series can be found on our website:

WWW.HAU-HORSESTALLS.COM

D|01







D|11



D|12




D|13



DERBY

The functional stall classic
with sliding doors





Project examples
with indoor stalls
from the Equipe-
series


All models of the Equipe-series can be found on our website:
WWW.HAU-HORSESTALLS.COM

E|01









Project examples
with indoor stalls
from the Partner-
series

For additional versions of the Partner-series please visit our website:

WWW.HAU-HORSESTALLS.COM

P|01



P|02



P|03



P|04



P|05



PARTITION WALLS

Our partition walls consist of three modules: the grid, the wood panel, and the U-shaped floor section. This design not only allows for a more flexible assembly compared with frame construction; it also offers the possibility of a U-shaped floor section from stainless steel.

The grid is manufactured subject to the requirements of FN (Fédération Équestre Nationale, Deutsche Reiterliche Vereinigung e.V.) and the guidelines of BMEL (German Ministry for Food and Agriculture) with bars (dia. 27 mm) at a safety spacing of 50 mm. It comes with a horizontal tubing to avoid injuries. The double-walled U-shaped sections warrant for particular stability. Hot-dip galvanising is done in accordance with DIN EN ISO 1461.

Naturally, the partition walls may also be powder-coated or manufactured in stainless steel. Each partition wall may also be equipped with an optional visual protection in the grid area. The wood panels of the partition wall may be picked to match the stall fronts.

For additional versions of partition walls please visit our website:

WWW.HAU-HORSESTALLS.COM

PW|01

PARTITION WALLS SWIVELLING / SLIDE-OUT:

Other than standard design-products, our variable models are manufactured with a welded frame. Swivelling or slide-out partition walls are used to facilitate processes, speed-up assembly and disassembly, and offer variable use.

The slide-out partition walls travel on a guide rail and swivelling partition walls come with hinges and can be folded. In case of both versions a hardwood manure plank is attached below.





Examples of
partition walls
from various
projects

MORE OF OUR AWARD-WINNING PRODUCTS



KORN-MAX

Automated fodder concentrate system for appropriate horse feeding.



HAY DEPOT

For large-scale roughage bales in the paddock.



HAY BOX

For roughage in the stall.

All our products can be found on our website:

www.HAU-HORSESTALLS.COM

HAU GmbH & Co. KG
Benzstrasse 3
73491 Neuler
Germany
Phone +49 7961-9113-0
Fax +49 7961-9113-44
info@hau-horsetalls.com
www.hau-horsetalls.com

Information and technical specifications subject to change.